



Total Food Service Solutions

Catalog

Range out of Europe

Without CE Certification



Public prices available from 1st January 2026 until 31th December 2026
Prix public applicables à partir du 1er Janvier 2026 jusqu'au 31 Décembre 2026

Edition 2026 - V1



Nayati Gas - Wok Kwalie - NGK 6-75

External Dimensions : 600 x 750 x 750/1050 mm

Features :

- One atmospheric, low-pressure jet-burner with a power rate of 22 kW.
- Manual ignition.
- Equipped with pilot burner, safety thermocouple, gas valve, gas knee lever.
- Slanted, deep drawn stainless steel top panel AISI 304 (1.2 mm) with stainless steel reinforcement (1 mm) and a drain channel with a removable strainer in the front.
- Cold-water supply with one swivel faucet mounted on the backsplash.
- Deck cooling & cleaning system with spray nozzles for maximum hygiene.
- Suitable for wok-pan sizes Ø 14-18" (355-457 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

Connections :

- Gas DN25 (1")
- Water DN15 (1/2")
- Drain DN32 (1 1/4")

Total Power Rate or Total Connected Load : LPG/Natural Gas 22 kW

HS Code : 7321.11.00

Accessories included : • Wok stand (1 pc)

Quantity : 1

Public Price : 4 140€



Nayati Gas - Wok Kwalie - NGK 12-75

External Dimensions : 1200 x 750 x 750/1050 mm

- Features :
- Two atmospheric, low-pressure jet-burners with a power rate of 22 kW each.
 - Manual ignition.
 - Equipped with pilot burners, safety thermocouples, gas valves, gas knee levers.
 - Slanted, deep drawn stainless steel top panel AISI 304 (1.2 mm) with stainless steel reinforcement (1 mm) and a drain channel with a removable strainer in the front.
 - Cold-water supply with one swivel faucet mounted on the backsplash.
 - Deck cooling & cleaning system with spray nozzles for maximum hygiene.
 - Suitable for wok-pan sizes Ø 14-18" (355-457 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN32 (1 1/4")

Total Power Rate or
Total Connected Load : LPG/Natural Gas 44 kW

HS Code : 7321.11.00

Accessories included : • Wok stand (2 pcs)

Quantity : 1

Public Price : 6 325€

Nayati Gas - Wok Kwalie - NGK 7-90

External Dimensions : 750 x 900 x 750/1200 mm

Features :

- One atmospheric, low-pressure jet-burner with a power rate of 33 kW.
- Manual ignition.
- Equipped with pilot burner, safety thermocouple, gas valve, gas knee lever.
- Slanted, deep drawn stainless steel top panel AISI 304 (1.2 mm) with stainless steel reinforcement (1 mm) and a drain channel with a removable strainer in the front.
- Cold-water supply with one swivel faucet mounted on the backsplash.
- Deck cooling & cleaning system with spray nozzles for maximum hygiene.
- Suitable for wok-pan sizes Ø 14-18" (355-457 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

Connections :

- Gas DN25 (1")
- Water DN15 (1/2")
- Drain DN32 (1 1/4")

Total Power Rate or
Total Connected Load : LPG/Natural Gas 33 kW

HS Code : 7321.11.00

Accessories included : • Wok stand (1 pc)

Quantity : 1

Public Price : 4 274€

**Nayati Gas - Wok Kwalie - NGK 15-90**

External Dimensions : 1500 x 900 x 750/1200 mm

- Features :
- Two atmospheric, low-pressure jet-burners with a power rate of 33 kW each.
 - Manual ignition.
 - Equipped with pilot burners, safety thermocouples, gas valves, gas knee levers.
 - Slanted, deep drawn stainless steel top panel AISI 304 (1.2 mm) with stainless steel reinforcement (1 mm) and a drain channel with a removable strainer in the front.
 - Cold-water supply with one swivel faucet mounted on the backsplash.
 - Deck cooling & cleaning system with spray nozzles for maximum hygiene.
 - Suitable for wok-pan sizes Ø 14-18" (355-457 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN32 (1 1/4")

Total Power Rate or
Total Connected Load : LPG/Natural Gas 66 kW

HS Code : 7321.11.00

Accessories included : • Wok stand (2 pcs).

Quantity : 1

Public Price : 6 620€

Nayati Gas - Wok Kwalie - NGK 22-90



External Dimensions : 2250 x 900 x 750/1200 mm

- Features :
- Three atmospheric, low-pressure jet-burners with a power rate of 33 kW each.
 - Manual ignition.
 - Equipped with pilot burners, safety thermocouples, gas valves, gas knee levers.
 - Slanted, stainless steel top panel AISI 304 (1.2 mm) with stainless steel reinforcement (1 mm) and a drain channel with a removable strainer in the front.
 - Cold-water supply with two swivel faucets mounted on the backsplash.
 - Deck cooling & cleaning system with spray nozzles for maximum hygiene.
 - Suitable for wok-pan sizes Ø 14-18" (355-457 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN32 (1 1/4")

Total Power Rate or
Total Connected Load : LPG/Natural Gas 99 kW

HS Code : 7321.11.00

Accessories included : • Wok stand (3 pcs)

Quantity : 1

Public Price : 9 180€



Nayati Gas - Wok Kwalie High Pressure - NGKH 6-75

External Dimensions : 600 x 750 x 750/1050 mm

- Features :
- One atmospheric, high-pressure burner with a power rate of 35 kW.
 - Manual ignition.
 - Equipped with pilot burner, safety thermocouple, gas valve, gas knee lever.
 - Slanted, deep drawn stainless steel top panel AISI 304 (1.2 mm) with stainless steel reinforcement (1 mm) and a drain channel with a removable strainer in the front.
 - Cold-water supply with one swivel faucet mounted on the backsplash.
 - Deck cooling & cleaning system with spray nozzles for maximum hygiene.
 - Suitable for wok-pan sizes Ø 14-18" (355-457 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN32 (1 1/4")

Total Power Rate or
Total Connected Load : LPG 35 kW

HS Code : 7321.11.00

Accessories included : • Wok stand (1 pc)

Quantity : 1

Public Price : 3 170€

Nayati Gas - Wok Kwalie High Pressure - NGKH 12-75



External Dimensions : 1200 x 750 x 750/1050 mm

- Features :
- Two atmospheric, high-pressure burners with a power rate of 35 kW each.
 - Manual ignition.
 - Equipped with pilot burners, safety thermocouples, gas valves, gas knee levers.
 - Slanted, deep drawn stainless steel top panel AISI 304 (1.2 mm) with stainless steel reinforcement (1 mm) and a drain channel with a removable strainer in the front.
 - Cold-water supply with one swivel faucet mounted on the backsplash.
 - Deck cooling & cleaning system with spray nozzles for maximum hygiene.
 - Suitable for wok-pan sizes Ø 14-18" (355-457 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN32 (1 1/4")

Total Power Rate or
Total Connected Load : LPG 70 kW

HS Code : 7321.11.00

Accessories included : • Wok stand (2 pcs)

Quantity : 1

Public Price : 5 970€

Nayati Gas - Wok Kwalie High Pressure - NGKH 15-90



External Dimensions : 1500 x 900 x 750/1200 mm

- Features :
- Two atmospheric, high-pressure burners with a power rate of 35 kW each.
 - Manual ignition.
 - Equipped with pilot burners, safety thermocouples, gas valves, gas knee levers.
 - Slanted, deep drawn stainless steel top panel AISI 304 (1.2 mm) with stainless steel reinforcement (1 mm) and a drain channel with a removable strainer in the front.
 - Cold-water supply with one swivel faucet mounted on the backsplash.
 - Deck cooling & cleaning system with spray nozzles for maximum hygiene.
 - Suitable for wok-pan sizes Ø 14-18" (355-457 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN32 (1 1/4")

Total Power Rate or
Total Connected Load : LPG 70 kW

HS Code : 7321.11.00

Accessories included : • Wok stand (2 pcs)

Quantity : 1

Public Price : 6 640€

**Nayati Gas - Wok Kwalie High Pressure - NGKH 22-90**

External Dimensions : 2250 x 900 x 750/1200 mm

- Features :
- Three atmospheric, high-pressure burners with a power rate of 35 kW each.
 - Manual ignition.
 - Equipped with pilot burners, safety thermocouples, gas valves, gas knee levers.
 - Slanted, stainless steel top panel AISI 304 (1.2 mm) with stainless steel reinforcement (1 mm) and a drain channel with a removable strainer in the front.
 - Cold-water supply with two swivel faucets mounted on the backsplash.
 - Deck cooling & cleaning system with spray nozzles for maximum hygiene.
 - Suitable for wok-pan sizes Ø 14-18" (355-457 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN32 (1 1/4")

Total Power Rate or
Total Connected Load : LPG 105 kW

HS Code : 7321.11.00

Accessories included : • Wok stand (3 pcs)

Quantity : 1

Public Price : 9 150€



Nayati Gas - Wok Kwalie with Blower - NGKB 8-90 W1

External Dimensions : 800 x 900 x 750/1200 mm

- Features :
- One powerful 40 kW premix wok burner built in a fire brick chamber for high thermal efficiency with low combustion noise (<70 dB).
 - Concealed blower design.
 - Electronic Ignition of the pilot and use of the main burner with push one-button technology.
 - Equipped with pilot burner, gas valve, gas knee lever and an electronic flame failure safety device (FS) that shuts down the gas supply for main burner within 2 seconds when no pilot flame is detected.
 - Slanted top panel with wok dome.
 - Cold-water supply with one swivel faucet mounted on the backsplash.
 - Deck cooling & cleaning system with spray nozzles for maximum hygiene and easy operation.
 - Suitable for wok-pan sizes Ø 18-24" (457-610 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN40 (1 1/2")

Total Power Rate or Total Connected Load : LPG/Natural Gas 40 kW

HS Code : 7321.11.00

- Accessories included :
- Wok stand (1 pc)
 - Ladle / basket holder (1 pc)

Quantity : 1

Public Price : 7 930€



Nayati Gas - Wok Kwalie with Blower - NGKB 15-90 W2

External Dimensions : 1500 x 900 x 750/1200 mm

- Features :
- Two powerful 40 kW premix wok burners built in fire brick chambers for high thermal efficiency with low combustion noise (<70 dB).
 - Concealed blower design.
 - Electronic Ignition of the pilot and use of the main burner with push one-button technology.
 - Equipped with pilot burner, gas valve, gas knee lever and an electronic flame failure safety device (FS) that shuts down the gas supply for main burner within 2 seconds when no pilot flame is detected.
 - Slanted top panel with wok domes.
 - Cold-water supply with one swivel faucet mounted on the backsplash.
 - Deck cooling & cleaning system with spray nozzles for maximum hygiene and easy operation.
 - Suitable for wok-pan sizes Ø 18-24" (457-610 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN40 (1 1/2")

Total Power Rate or Total Connected Load : LPG/Natural Gas 80 kW

HS Code : 7321.11.00

- Accessories included :
- Wok stand (2 pcs)
 - Ladle / basket holder (2 pcs)

Quantity : 1

Public Price : 13 780€



Nayati Gas - Wok Kwalie with Blower - NGKB 16-90 W2N1

External Dimensions : 1600 x 900 x 750/1200 mm

Features :

- Two powerful 40 kW premix wok burners built in fire brick chambers for high thermal efficiency with low combustion noise (<70 dB).
- Concealed blower design.
- Electronic Ignition of the pilot and use of the main burner with push one-button technology.
- Equipped with pilot burner, gas valve, gas knee lever and an electronic flame failure safety device (FS) that shuts down the gas supply for main burner within 2 seconds when no pilot flame is detected.
- Slanted top panel with domes for wok burners and water/soup pan.
- Cold-water supply with one swivel faucet mounted on the backsplash.
- Deck cooling & cleaning system with spray nozzles for maximum hygiene and easy operation.
- Stainless steel, 9 liters water/soup pan (1pc).
- Suitable for wok-pan sizes Ø 18-24" (457-610 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

Connections :

- Gas DN25 (1")
- Water DN15 (1/2")
- Drain DN40 (1 1/2")

Total Power Rate or Total Connected Load : LPG/Natural Gas 80 kW

HS Code : 7321.11.00

Accessories included :

- Wok stand (2 pcs)
- Ladle / basket holder (2 pcs)
- Stainless steel water/soup pan (1pc)

Quantity : 1

Public Price : 14 360€



Nayati Gas - Wok Kwalie with Blower - NGKB 11-90 W1S1

External Dimensions : 1100 x 900 x 750/1200 mm

- Features :
- One powerful 40 kW premix wok burner built in a fire brick chamber for high thermal efficiency with low combustion noise (<70 dB).
 - One atmospheric clay pot burner with a power rate of 4.9 kW.
 - Concealed blower design.
 - Electronic Ignition of the pilot and use of the main burner with push one-button technology, piezo ignition for clay pot burner.
 - Equipped with pilot burner, gas valve, gas knee lever and an electronic flame failure safety device (FS) that shuts down the gas supply for main burner within 2 seconds when no pilot flame is detected.
 - Slanted top panel with deep-drawn domes for wok and clay pot burner.
 - Cold-water supply with one swivel faucet mounted on the backsplash.
 - Deck cooling & cleaning system with spray nozzles for maximum hygiene and easy operation.
 - Suitable for wok-pan sizes Ø 18-24" (457-610 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

Connections :

- Gas DN25 (1")
- Water DN15 (1/2")
- Drain DN40 (1 1/2")

Total Power Rate or Total Connected Load : LPG/Natural Gas 44.9 kW

HS Code : 7321.11.00

Accessories included :

- Wok stand (1 pc)
- Ladle / basket holder (1 pc)
- Condiment tray (1 pc)

Quantity : 1

Public Price : 10 730€

Nayati Gas - Wok Kwalie with Blower - NGKB 16-90 W2S1



External Dimensions : 1600 x 900 x 750/1200 mm

- Features :
- Two powerful 40 kW premix wok burners built in fire brick chambers for high thermal efficiency with low combustion noise (<70 dB).
 - One atmospheric clay pot burner with a power rate of 4.9 kW.
 - Concealed blower design.
 - Electronic Ignition of the pilot and use of the main burner with push one-button technology, piezo ignition for clay pot burner.
 - Equipped with pilot burner, gas valve, gas knee lever and an electronic flame failure safety device (FS) that shuts down the gas supply for main burner within 2 seconds when no pilot flame is detected.
 - Slanted top panel with deep-drawn domes for wok and clay pot burners.
 - Cold-water supply with one swivel faucet mounted on the backsplash.
 - Deck cooling & cleaning system with spray nozzles for maximum hygiene and easy operation.
 - Suitable for wok-pan sizes Ø 18-24" (457-610 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN40 (1 1/2")

Total Power Rate or Total Connected Load : LPG/Natural Gas 84.9 kW

HS Code : 7321.11.00

- Accessories included :
- Wok stand (2 pcs)
 - Ladle / basket holder (2 pcs)

Quantity : 1

Public Price : 16 900€

Nayati Gas - Wok Kwalie with Blower - NGKB 22-90 W2S2



External Dimensions : 2200 x 900 x 750/1200 mm

Features :

- Two powerful 40 kW premix wok burners built in fire brick chambers for high thermal efficiency with low combustion noise (<70 dB).
- Two atmospheric clay pot burners with a power rate of 4.9 kW each.
- Concealed blower design.
- Electronic Ignition of the pilot and use of the main burner with push one-button technology, piezo ignition for clay pot burner.
- Equipped with pilot burner, gas valve, gas knee lever and an electronic flame failure safety device (FS) that shuts down the gas supply for main burner within 2 seconds when no pilot flame is detected.
- Slanted top panel with deep-drawn domes for wok and clay pot burners.
- Cold-water supply with two swivel faucets mounted on the backsplash.
- Deck cooling & cleaning system with spray nozzles for maximum hygiene and easy operation.
- Suitable for wok-pan sizes Ø 18-24" (457-610 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

Connections :

- Gas DN25 (1")
- Water DN15 (1/2")
- Drain DN40 (1 1/2")

Total Power Rate or Total Connected Load : LPG/Natural Gas 89.8 kW

HS Code : 7321.11.00

Accessories included :

- Wok stand (2 pcs)
- Ladle / basket holder (2 pcs)
- Condiment tray (2 pcs)

Quantity : 1

Public Price : 18 625€



Nayati Gas - Wok Kwalie with Blower - NGKB 12-125 W1S1

External Dimensions : 1200 x 1250 x 750/1200 mm

Features :

- One powerful 40 kW premix wok burner built in a fire brick chamber for high thermal efficiency with low combustion noise (<70 dB).
- One atmospheric clay pot burner with a power rate of 4.9 kW.
- Concealed blower design.
- Electronic Ignition of the pilot and use of the main burner with push one-button technology, piezo ignition for clay pot burner.
- Equipped with pilot burner, gas valve, gas knee lever and an electronic flame failure safety device (FS) that shuts down the gas supply for main burner within 2 seconds when no pilot flame is detected.
- Slanted top panel with deep-drawn domes for wok and clay pot burner.
- Cold-water supply with one swivel faucet mounted on the backsplash.
- Deck cooling & cleaning system with spray nozzles for maximum hygiene and easy operation.
- Suitable for wok-pan sizes Ø 18-24" (457-610 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

Connections :

- Gas DN25 (1")
- Water DN15 (1/2")
- Drain DN40 (1 1/2")

Total Power Rate or Total Connected Load : LPG/Natural Gas 44.9 kW

HS Code : 7321.11.00

Accessories included :

- Wok stand (1 pc)
- Ladle / basket holder (1 pc)
- Condiment tray (1 pc)

Quantity : 1

Public Price : 10 845€

Nayati Gas - Wok Kwalie with Blower - NGKB 22-125 W2S2



External Dimensions : 2200 x 1250 x 750/1200 mm

- Features :
- Two powerful 40 kW premix wok burners built in fire brick chambers for high thermal efficiency with low combustion noise (<70 dB).
 - Two atmospheric clay pot burners with a power rate of 4.9 kW each.
 - Concealed blower design.
 - Electronic Ignition of the pilot and use of the main burner with push one-button technology, piezo ignition for clay pot burner.
 - Equipped with pilot burner, gas valve, gas knee lever and an electronic flame failure safety device (FS) that shuts down the gas supply for main burner within 2 seconds when no pilot flame is detected.
 - Slanted top panel with deep-drawn domes for wok and clay pot burners.
 - Cold-water supply with two swivel faucets mounted on the backsplash.
 - Deck cooling & cleaning system with spray nozzles for maximum hygiene and easy operation.
 - Suitable for wok-pan sizes Ø 18-24" (457-610 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN40 (1 1/2")

Total Power Rate or Total Connected Load : LPG/Natural Gas 89.8 kW

HS Code : 7321.11.00

- Accessories included :
- Wok stand (2 pcs)
 - Ladle / basket holder (2 pcs)
 - Condiment tray (1 pc)

Quantity : 1

Public Price : 18 820€



Nayati Gas - Wok Kwalie with Blower - NGKB 14-125 W1S1N1

External Dimensions : 1400 x 1250 x 750/1200 mm

- Features :
- One powerful 40 kW premix wok burner built in a fire brick chamber for high thermal efficiency with low combustion noise (<70 dB).
 - One atmospheric clay pot burner with a power rate of 4.9 kW.
 - Concealed blower design.
 - Electronic Ignition of the pilot and use of the main burner with push one-button technology, piezo ignition for clay pot burner.
 - Equipped with pilot burner, gas valve, gas knee lever and an electronic flame failure safety device (FS) that shuts down the gas supply for main burner within 2 seconds when no pilot flame is detected.
 - Slanted top panel with deep-drawn domes for wok burner, clay pot burner and water/soup pan.
 - Cold-water supply with one swivel faucet mounted on the backsplash.
 - Deck cooling & cleaning system with spray nozzles for maximum hygiene and easy operation.
 - Stainless steel, 9 liters water/soup pan (1pc).
 - Suitable for wok-pan sizes Ø 18-24" (457-610 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN40 (1 1/2")

Total Power Rate or Total Connected Load : LPG/Natural Gas 44.9 kW

HS Code : 7321.11.00

- Accessories included :
- Wok stand (1 pc)
 - Ladle / basket holder (1 pc)
 - Condiment tray (1 pc)
 - Stainless steel water/soup pan (1pc)

Quantity : 1

Public Price : 13 160€

Nayati Gas - Wok Kwalie with Blower - NGKB 24-125 W2S2N2

External Dimensions : 2400 x 1250 x 750/1200 mm



- Features :
- Two powerful 40 kW premix wok burners built in fire brick chambers for high thermal efficiency with low combustion noise (<70 dB).
 - Two atmospheric clay pot burners with a power rate of 4.9 kW each.
 - Concealed blower design.
 - Electronic Ignition of the pilot and use of the main burner with push one-button technology, piezo ignition for clay pot burner.
 - Equipped with pilot burner, gas valve, gas knee lever and an electronic flame failure safety device (FS) that shuts down the gas supply for main burner within 2 seconds when no pilot flame is detected.
 - Slanted top panel with deep-drawn domes for wok burners, clay pot burners and water/soup pans.
 - Cold-water supply with two swivel faucets mounted on the backsplash.
 - Deck cooling & cleaning system with spray nozzles for maximum hygiene and easy operation.
 - Stainless steel 9 liters water/soup pan (2 pcs).
 - Suitable for wok-pan sizes Ø 18-24" (457-610 mm).

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

Connections :

- Gas DN25 (1")
- Water DN15 (1/2")
- Drain DN40 (1 1/2")

Total Power Rate or Total Connected Load : LPG/Natural Gas 89.8 kW

HS Code : 7321.11.00

Accessories included :

- Wok stand (2 pcs)
- Ladle / basket holder (2 pcs)
- Condiment tray (1 pc)
- Stainless steel water/soup pan (2pcs)

Quantity : 1

Public Price : 24 305€



Nayati Gas - Pot Cooker - NGTL 6-75

External Dimensions : 600 x 750 x 450/1050 mm

- Features :
- One atmospheric burner with a power rate of 22 kW.
 - Large cast iron potholder for heavy-duty use.
 - Manual ignition.
 - Equipped with pilot burner, safety thermo-couple, gas valve and gas control knob.

Construction / Material: Frame, top, panels and legs all made of high-grade stainless steel.

Connections : • Gas DN 25 (1")

Total Power Rate or
Total Connected Load : LPG/Natural Gas 22 kW

HS Code : 7321.11.00

Quantity : 1

Public Price : 2 210€

Nayati Gas - Pot Cooker - NGTL 6-75 NSB

External Dimensions : 600 x 750 x 450 mm



Features :

- One atmospheric burner with a power rate of 22 kW.
- Large cast iron potholder for heavy duty use.
- Manual ignition.
- Equipped with pilot burner, safety thermo-couple, gas valve and gas control knob.

Construction / Material: Frame, top, panels and legs all made of high-grade stainless steel.

Connections : • Gas DN 25 (1")

Total Power Rate or
Total Connected Load : LPG/Natural Gas 22 kW

HS Code : 7321.11.00

Quantity : 1

Public Price : 2 110€

**Nayati Gas - Pot Cooker - NGTL 12-75**

External Dimensions : 1200 x 750 x 450/1050 mm

Features :

- Two atmospheric burners with a power rate of 22 kW each.
- Two large cast iron potholders for heavy duty use.
- Manual ignition.
- Equipped with pilot burners, safety thermo-couples, gas valves and gas control knobs.

Construction / Material: Frame, top, panels and legs all made of high-grade stainless steel.

Connections :

- Gas DN 25 (1")

Total Power Rate or
Total Connected Load : LPG/Natural Gas 44 kW

HS Code : 7321.11.00

Quantity : 1

Public Price : 4 220€

Nayati Gas Pot Cooker - NGTL 12-75 NSB

External Dimensions : 1200 x 750 x 450 mm



Features :

- - Two atmospheric burners with a power rate of 24 kW each.
- Two large cast iron potholders for heavy duty use.
- - Manual ignition.
- Equipped with pilot burners, safety thermo-couples, gas valves and gas control knobs.
- Without splash back

Quantity : 1

Public Price : 4 100€



Nayati Gas - Pot Cooker - NGTL 6-75 H

External Dimensions : 600 x 750 x 450/1050 mm

- Features :
- One atmospheric burner with a power rate of 35 kW.
 - Large cast iron potholder for heavy duty use.
 - Manual ignition.
 - Equipped with pilot burner, safety thermo-couple, gas valve and gas control knob.

Construction / Material: Frame, top, panels and legs all made of high-grade stainless steel.

Connections : • Gas DN 25 (1")

Total Power Rate or
Total Connected Load : LPG 35 kW

HS Code : 7321.11.00

Quantity : 1

Public Price : 2 110€

**Nayati Gas - Pot Cooker - NGTL 12-75 H**

External Dimensions : 1200 x 750 x 450/1050 mm

Features :

- Two atmospheric burners with a power rate of 35 kW each.
- Two large cast iron potholders for heavy duty use.
- Manual ignition.
- Equipped with pilot burners, safety thermo-couples, gas valves and gas control knobs.

Construction / Material: Frame, top, panels and legs all made of high-grade stainless steel.

Connections :

- Gas DN 25 (1")

Total Power Rate or
Total Connected Load : LPG 70 kW

HS Code : 7321.11.00

Quantity : 1

Public Price : 4 220€



Nayati Gas - Open Flame Range - NGOR 6-75 ME

External Dimensions : 600 x 750 x 850/870 mm

- Features :
- One atmospheric burner with a power rate of 22 kW.
 - Large cast iron potholder for heavy-duty use.
 - Piezo ignition.
 - Equipped with pilot burner, safety thermo-couple, gas valve and gas control knob.

Connections : • Gas DN 25 (1")

Total Power Rate or LPG/Natural Gas 22 kW
Total Connected Load :

HS Code : 7321.11.00

Accessories included : • Cast iron pot holder.

Quantity : 1

Public Price : 3 555€

Nayati Gas - Open Flame Range - NGOR 12-75 ME

External Dimensions : 1200 x 750 x 850/870 mm mm



Features :

- Two atmospheric burner with a power rate of 22 kW each.
- Large cast iron potholders for heavy-duty use.
- Piezo ignition.
- Equipped with pilot burners, safety thermo-couples, gas valves and gas control knobs.

HS Code : 7321.11.00

Quantity : 1

Public Price : 6 910€

Nayati Gas - Open Flame Range - NGOR 6-90 GR

External Dimensions : 600 x 900 x 850/870 mm

- Features :
- One atmospheric burner with a power rate of 22 kW.
 - Large cast iron potholder for heavy-duty use.
 - Piezo ignition.
 - Equipped with pilot burner, safety thermo-couple, gas valve and gas control knob.

HS Code : 7321.11.00

Quantity : 1

Public Price : 3 690€

Nayati Gas - Open Flame Range - NGOR 12-90 GR

External Dimensions : 1200 x 900 x 850/870 mm mm

- Features :
- Two atmospheric burner with a power rate of 22 kW each.
 - Large cast iron potholders for heavy-duty use.
 - Piezo ignition.
 - Equipped with pilot burners, safety thermo-couples, gas valves and gas control knobs.

HS Code : 7321.11.00

Quantity : 1

Public Price : 7 320€



Nayati Gas - Soup Warmer - NGSW 4-75

External Dimensions : 400 x 750 x 750/1050 mm

- Features :
- High-performance atmospheric burner with a power rate of 16 kW.
 - Piezo ignition.
 - Equipped with pilot burner, safety thermocouple, gas valve, gas knob.
 - Salt-resistant, stainless steel tank of 27 liters with drain valve.
 - Cold water supply with one swivel faucet mounted on the backsplash.
 - Partition with four GN containers with a volume of 12.5 liters soup in total.

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN 20 (3/4")
 - Water DN15 (1/2")
 - Drain DN25 (1")

Total Power Rate or Total Connected Load : LPG/Natural Gas 16 kW

HS Code : 7321.11.00

- Accessories included :
- Stainless steel container GN 1/4 (2 pcs) & GN 1/6 (2 pcs)

Quantity : 1


Public Price : 4 610€

Nayati Gas - Soup Warmer with Lid Cover - NGSW 6-75 ME

External Dimensions : 600 x 750 x 850/910 mm

Features :

- High-performance atmospheric burner with a power rate of 8.85 kW.
- Piezo ignition.
- Equipped with pilot burner, safety thermocouple, gas valve, gas knob.
- Salt-resistant, stainless steel tank of 40 liters with drain valve.
- Cold water supply with one swivel faucet mounted on the backsplash.



Quantity : 1

Public Price : 5 460€



Nayati Gas - Noodle Cooker - NGN 16 (ME)

External Dimensions : 400 x 750 x 850/900 mm

- Features :
- Powered with 16 kW chrome-plated steel fin burner.
 - Capacity up to 27 liters.
 - Usable for six noodle baskets.
 - Manual water filling system with knob integrated on the front panel.
 - Thermal-cut off when overheated.
 - Piezzo ignition system with rubber cover.
 - Equipped with flame failure device.

- Connections :
- Gas DN 20 (3/4")
 - Water DN 15 (1/2")
 - Drain DN 25 (1")

Total Power Rate or Total Connected Load : LPG/Natural Gas 16 kW

HS Code : 7321.11.00

- Accessories included :
- G20 Conversion Kit
 - Noodle basket (6 pcs.).
 - Swing door.

Quantity : 1

Public Price : 4 670€



Nayati Gas - Noodle Cooker - NGN 16 AL (ME)

External Dimensions : 600 x 750 x 850/900 mm

- Features :
- Powered with 16 kW chrome-plated steel fin burner.
 - Capacity up to 27 liters.
 - Usable for six noodle baskets with auto-lifting features.
 - Six individual timer, one for each baskets. Resettable through two button simultaneous push.
 - Manual water filling system with knob integrated on the front panel.
 - Piezzo ignition system with rubber cover.
 - Equipped with flame failure device.
 - Thermal-cut off when overheated.

- Connections :
- Gas DN 20 (3/4")
 - Water DN 15 (1/2")
 - Drain DN 25 (1")

Total Power Rate or LPG/Natural Gas 16 kW
Total Connected Load :

HS Code : 7321.11.00

- Accessories included :
- G20 Conversion Kit
 - Noodle basket (6 pcs.).
 - Swing door.

Quantity : 1

Public Price : 10 175€

**Nayati Gas - Dim Sum Steamer - NGSB 9-90 LN**

External Dimensions : 900 x 900 x 750/1200 mm

- Features :
- High-performance atmospheric burners with a total power rate of 33 kW.
 - Electronic Ignition of the pilot and use of the main burners with push one-button technology.
 - Equipped with pilot burners, gas valve, gas knee levers and an electronic flame failure safety device (FS) that shuts down the gas supply for main burners within 2 seconds when no pilot flame is detected.
 - Slanted, deep drawn, reinforced top panel with drain channel and removable strainer in the front for easy operation.
 - Deck cooling & cleaning system with spray nozzles for a maximum hygiene and easy operation.
 - Steam box engine with automatic filling system and security thermostat. Maximum water usage 32 liters/hour.

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN32 (1 1/4") & DN40 (1 1/2")

Total Power Rate or Total Connected Load : LPG/Natural Gas 33 kW, and 0.004 kW
- 230V, 1PNE AC / 50-60 Hz

HS Code : 7321.11.00

- Accessories included :
- Dim sum plate with seven holes.

Quantity : 1

Public Price : 13 900€



Nayati Gas - Dim Sum Steamer - NGSB 15-90 LN

External Dimensions : 1500 x 900 x 750/1200 mm

- Features :
- High-performance atmospheric burners with a total power rate of 66 kW.
 - Electronic Ignition of the pilot and use of the main burners with push one-button technology.
 - Equipped with pilot burners, gas valve, gas knee levers and an electronic flame failure safety device (FS) that shuts down the gas supply for main burners within 2 seconds when no pilot flame is detected.
 - Slanted, deep drawn, reinforced top panel with drain channel and removable strainer in the front for easy operation.
 - Deck cooling & cleaning system with spray nozzles for a maximum hygiene and easy operation.
 - Two steam box engines with automatic filling system and security thermostats.

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN32 (1 1/4") & DN40 (1 1/2")

Total Power Rate or Total Connected Load : LPG/Natural Gas 66 kW, and 0.08 kW - 230V, 1PNE AC / 50-60 Hz

HS Code : 7321.11.00

Accessories included : • Dim sum plate with seven holes (2 pcs).

Quantity : 1

Public Price : 19 385€



Nayati Gas - Dim Sum Steamer/ Slim - NGDS 16

External Dimensions : 400 x 750 x 850 mm

- Features :
- High-performance atmospheric burner with a power rate of 16 kW.
 - Usable for bamboo trays of Ø 130 mm
 - Piezo ignition.
 - Equipped with pilot burner, safety thermocouple, gas valve, gas knob.
 - Salt resistant, stainless steel tank of 27 liters with drain valve.
 - Cold water supply with faucet to fill the tank.

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN 20 (3/4")
 - Water DN15 (1/2")
 - Drain DN25 (1")

Total Power Rate or
Total Connected Load : LPG/Natural Gas 16 kW

HS Code : 7321.11.00

Accessories included : • Dim sum plate with six holes.

Quantity : 1

Public Price : 5 000€

**Nayati Gas - Dim Sum Steamer/ Slim - NGDS 6-75**

External Dimensions : 600 x 750 x 750/1050 mm

- Features :
- High-performance atmospheric burner with a power rate of 22 kW.
 - Automatic water filling system.
 - Usable for bamboo trays of Ø 130 mm
 - Piezo ignition.
 - Equipped with pilot burner, safety thermocouple, gas valve, gas knob.
 - Salt-resistant, stainless steel tank of 25 liters with drain valve.

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN 20 (3/4")
 - Water DN15 (1/2")
 - Drain DN25 (1")

Total Power Rate or
Total Connected Load : LPG/Natural Gas 22 kW

HS Code : 7321.11.00

- Accessories included :
- Dim sum tray kit - two levels with lid for max. 18 pcs bamboo trays Ø 130 mm.

Quantity : 1

Public Price : 7 095€



Nayati Gas - Rice Roll Steamer - NGRS 9-90 LN

External Dimensions : 900 x 900 x 750/1200 mm

- Features :
- High-performance atmospheric burners with a total power rate of 33 kW.
 - Electronic Ignition of the pilot and use of the main burners with push one-button technology.
 - Equipped with pilot burners, gas valve, gas knee levers and an electronic flame failure safety device (FS) that shuts down the gas supply for main burners within 2 seconds when no pilot flame is detected.
 - Slanted, deep drawn, reinforced top panel with drain channel and removable strainer in the front for easy operation.
 - Deck cooling & cleaning system with spray nozzles for a maximum hygiene and easy operation.
 - Steam box engine with automatic filling system and security thermostat.

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN32 (1 1/4") & DN40 (1 1/2")

Total Power Rate or Total Connected Load : LPG/Natural Gas 33 kW, and 0.004 kW
- 230V, 1PNE AC / 50-60 Hz

HS Code : 7321.11.00

- Accessories included :
- Rice roll kit with perforated stainless steel plates (2pcs) and two lids.

Quantity : 1

Public Price : 15 435€

**Nayati Gas - Rice Roll Steamer/ Slim - NGRS 6-75**

External Dimensions : 600 x 750 x 750/1050 mm

- Features :
- High-performance atmospheric burner with a power rate of 22 kW.
 - Automatic water filling system.
 - Piezo ignition.
 - Equipped with pilot burner, safety thermocouple, gas valve, gas knob.
 - Salt-resistant, stainless steel tank of 25 liters with drain valve.

Construction / Material: Frame, top and panels, all made of high-grade stainless steel.

- Connections :
- Gas DN 20 (3/4")
 - Water DN15 (1/2")
 - Drain DN25 (1")

Total Power Rate or
Total Connected Load : LPG/Natural Gas 22 kW

HS Code : 7321.11.00

Quantity : 1

Public Price : 8 200€



Nayati Gas -Three Deck Steam Cabinet - NGSCD 9-90 LN

External Dimensions : 900 x 900 x 1900/1936 mm

- Features :
- High-performance atmospheric burners with a total power rate of 33 kW.
 - Electronic Ignition of the pilot and use of the main burners with push one-button technology.
 - Equipped with pilot burners, gas valve, gas knee levers and an electronic flame failure safety device (FS) that shuts down the gas supply for main burners within 2 seconds when no pilot flame is detected.
 - Steam box engine with automatic filling system and security thermostat. Maximum water usage 29 liters/hour.
 - Three, individually controlled steam chambers. Top & middle deck with 660/615/220 mm, bottom deck 660/615/400 mm (w/d/h) internal dimensions.

Construction / Material: Unit made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN32 (1 1/4") & DN40 (1 1/2")

Total Power Rate or Total Connected Load : LPG/Natural Gas 33 kW, and 0.004 kW
- 230V, 1PNE AC / 50-60 Hz

HS Code : 7321.11.00

Quantity : 1

Public Price : 17 125€



Nayati Gas -Three Deck Steam Cabinet - NGSCD 12-90 LN

External Dimensions : 1200 x 900 x 1900/1936 mm

- Features :
- High-performance atmospheric burners with a total power rate of 44 kW.
 - Electronic Ignition of the pilot and use of the main burners with push one-button technology.
 - Equipped with pilot burners, gas valve, gas knee levers and an electronic flame failure safety device (FS) that shuts down the gas supply for main burners within 2 seconds when no pilot flame is detected.
 - Steam box engine with automatic filling system and security thermostat. Maximum water usage 43 liters/hour.
 - Three, individually controlled steam chambers. Top & middle deck with 962/696/220 mm, bottom deck 962/696/400 mm (w/d/h) internal dimensions.

Construction / Material: Unit made of high-grade stainless steel.

- Connections :
- Gas DN25 (1")
 - Water DN15 (1/2")
 - Drain DN32 (1 1/4") & DN40 (1 1/2")

Total Power Rate or Total Connected Load : LPG/Natural Gas 44 kW, and 0.004 kW
- 230V, 1PNE AC / 50-60 Hz

- Accessories included :
- Stainless steel wire grills 950x600 mm (4 pcs).

Quantity : 1

Public Price : 33 210€



Nayati Gas - Food Steamer - NGFS 12

External Dimensions : 700/733 x 600/650 x 1755 mm

- Features :
- High-performance atmospheric burner with power rate of 22 kW.
 - Piezo ignition.
 - Equipped with pilot burner, safety thermocouple, gas valve and gas knob.
 - Steam box engine with automatic filling system and security thermostat.
 - Rails to accept 12 pcs GN 1/1-65 containers or Bakery pans.
 - Steaming capacity of about 30 kg rice in 12 pcs GN 1/1-65 pans.
 - Equipped with a pressure valve to controll steam pressure in the chamber for efficiency.

Construction / Material: Unit made of high-grade stainless steel.

- Connections :
- Gas DN20 (3/4")
 - Water DN15 (1/2")
 - Drain DN 20 (3/4")

Total Power Rate or
Total Connected Load : LPG/Natural Gas 22 kW

HS Code : 7321.11.00

- Accessories included :
- Stainless steel wire grills 530 x 325 mm (4 pcs).

Quantity : 1

Public Price : 5 950€



Nayati Gas - Food Steamer - NGFS 24

External Dimensions : 1450 x 600 x 1757 mm

Features :

- Gas Food Steamer with 24 (12 per door) GN 1/1 trays & bakery support.
- High-performance atmospheric burners with a power rate of 44 kW.
- Piezo ignition.
- Equipped with pilot burners, safety thermocouples, gas valves and gas knobs.
- Steam box engines with automatic filling system and security thermostats.
- Equipped with pressure valves to control steam pressure in the chambers for efficiency.
- Steaming capacity of about 60 kg rice in 24 pcs GN 1/1-65 pans.
- Made entirely of stainless steel AISI 304.
- Tubular, height adjustable (± 50 mm) stainless steel legs.
- Total power rate
Gas: 44 kW (LPG/LNG)

Quantity : 1

Public Price : 11 145€



Nayati Gas - Duck Roaster - NGDR 900

External Dimensions : Ø 936 x 1025 x 1540 mm

- Features :
- High-performance atmospheric burner with a power rate of 16 kW.
 - Ventilation opening with cover in the top lid.
 - Piezo ignition.
 - Equipped with pilot burner, safety thermocouple, gas valve, gas knob.
 - Stainless steel rail for twelve ducks.
 - Oil/grease collection area with drainage.
 - Temperature gauge.

Construction / Material: Unit made of high-grade stainless steel.

- Connections :
- Gas DN20 (3/4")
 - Drain DN20 (3/4") & DN25 (1")

Total Power Rate or
Total Connected Load : LPG/Natural Gas 16 kW

HS Code : 7321.11.00

Quantity : 1

Public Price : 8 630€



Nayati Gas - Duck Roaster - NGDR 900 H

External Dimensions : Ø 936 x 1070 x 1607 mm

- Features :
- Powerful atmospheric high-pressure burner with a power rate of 35 kW.
 - Ventilation opening with cover in the top lid.
 - Piezo ignition.
 - Equipped with pilot burner, safety thermocouple, gas valve, gas knob.
 - Stainless steel rail for twelve ducks.
 - Oil/grease collection area with drainage.
 - Temperature gauge.

Construction / Material: Unit made of high-grade stainless steel.

- Connections :
- Gas DN15 (1/2")
 - Drain DN20 (3/4") & DN25 (1")

Total Power Rate or
Total Connected Load : LPG 35 kW

HS Code : 7321.11.00

Quantity : 1

Public Price : 12 095€